

## Appointment

---

**From:** Mindrup, Mary [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=122D20EB9BA647B3BB3F55143E6D6787-MINDRUP, MARY]  
**Sent:** 4/24/2020 6:46:06 PM  
**To:** Mindrup, Mary [Mindrup.Mary@epa.gov]; becky.schwiete@dnr.iowa.gov; Laurie Sharp [laurie.sharp@dnr.iowa.gov]; Goans, Steve [steve.goans@nebraska.gov]; Dunlevy, Robert [Dunlevy.Robert@epa.gov]; Hernandez-Santiago, Neftali [Hernandez-Santiago.Neftali@epa.gov]; Corey McCoid (corey.mccoid@dnr.iowa.gov) [corey.mccoid@dnr.iowa.gov]; david.lamb (david.lamb@dnr.mo.gov) [david.lamb@dnr.mo.gov]; Diane Moles [Diane.Moles@dnr.iowa.gov]; Justin Nelsen [justin.nelsen@nebraska.gov]; Mark Moeller (mark.moeller@dnr.iowa.gov) [mark.moeller@dnr.iowa.gov]; Montana, Jessica [jessica.montana@dnr.iowa.gov]; Sue Dempsey (Sue.Dempsey@nebraska.gov) [Sue.Dempsey@nebraska.gov]; andy.kahle\_nebraska.gov (andy.kahle@nebraska.gov); Cathy Tucker-Vogel - Kansas Department of Health & Environment (cathy.tucker-vogel@ks.gov) [cathy.tucker-vogel@ks.gov]; Rob Gavin [KDHE] [Robert.Gavin@ks.gov]; Amelia Springer [amelia.springer@ks.gov]; Blohm, Brenda [blohm.brenda@epa.gov]; Brune, Doug [Brune.Doug@epa.gov]; Deason, Ken [Deason.Ken@epa.gov]; Harden, Samantha [harden.samantha@epa.gov]; Hua, Jay [Hua.Jay@epa.gov]; Pratt, David [Pratt.David@epa.gov]; Reyna, John [Reyna.John@epa.gov]; Eichholz, Todd [todd.eichholz@dnr.mo.gov]; Dorsey, Lance [Lance.Dorsey@dnr.mo.gov]; Boden, Mary [Mary.Boden@nebraska.gov]  
**Subject:** Weekly Region 7 State Drinking Water COVID-19 Conference Call  
**Location:** Microsoft Teams Meeting  
**Start:** 5/1/2020 2:00:00 PM  
**End:** 5/1/2020 3:00:00 PM  
**Show Time As:** Busy

---

### Join Microsoft Teams Meeting

## Ex. 6 Personal Privacy (PP)

[Local numbers](#) | [Reset PIN](#) | [Learn more about Teams](#) | [Meeting options](#)

---

1. State staff updates:
2. EPA staff updates
3. Water System Problems and State Guidance development
  - a. Staffing – operators
  - b. Supplies – CO<sub>2</sub>, liquified oxygen(?) ( used to produce ozone)
    - i. Specific question from Water Security Division while it mentions Iowa interested in confirming with other states:

“Thank you for keeping WSD informed on various supply chain issues in your region. I wanted to follow up with you regarding the status of CO<sub>2</sub> supply in Iowa. Previously we were told that surcharges were being applied throughout the state, ranging from \$35-\$60 per ton, along with the initial notification a month ago

about a force majeure declaration from Air Gas and Chemicals. We have also noted the most recent letter from Air Gas that was sent to Blair, Nebraska, and I am assuming there are no updates on this recent development. However, could you provide an update on the following:

- 1) Are water utilities in Iowa still facing surcharges on CO2?
- 2) Is Air Gas still able to meet the demand from Des Moines?"

- c. Sampling
- d. Boil Water Situations

#### 4. Data Management

#### 5. EPA Guidance updates